

Rotherham
Safeguarding
Children Partnership

NEGLECT STRATEGY

2020-2023

Working in partnership
to prevent and reduce
neglect in Rotherham



www.rscp.org.uk

Executive summary

The Rotherham Safeguarding Children Partnership (RSCP) is delighted to present the revised RSCP Neglect Strategy 2021-2023. The Strategy is the result of work undertaken by a number of people from the range of agencies that reflects our safeguarding partnership, alongside input from some of our young people. Therefore, I would like to express my thanks to all those who contributed.


The purpose of our strategy is to prevent and reduce neglect within Rotherham and to enable a better understanding of the causes and impact of neglect upon children, young people, and families.

Neglect has been identified as a priority by the partnership because of the effect on long-term life chances for children and young people.


Children who experience neglect will suffer the enduring consequences throughout their lives. Through childhood, adolescence and into adulthood. The experience of neglect during childhood can have significant, long-lasting and pervasive consequences, affecting all aspects of a child's development. These effects include cognitive and other physical development, educational achievement, emotional wellbeing, and behavioural difficulties. It can also result in children and young people having difficulties making and keeping relationships, which can affect how they parent their own children and can perpetuate inter-generational cycles of neglect.

Our Neglect Strategy will inform the work that we do and ensure that all partners work in a cohesive way and jointly own responsibility for addressing neglect and the issues it brings.


To measure our progress, we have developed an action plan and the partnership will hold each other to account to ensure that we are effective in tackling and reducing the impact of neglect.



Suzanne Joyner
Strategic Director,
Children and Young People's
Services



Sue Cassin
Chief Nurse,
NHS Rotherham Clinical
Commissioning Group



Stephen Chapman
Chief Superintendent,
South Yorkshire Police



Jenny Myers
RSCP Independent Chair
Rotherham Safeguarding
Children Partnership



Our approach

When we set out to develop Rotherham's Neglect Strategy, we knew that young people had to be central to its development. Initially we asked a wide representation of young people to tell us what Neglect meant to them and what was their understanding of Neglect. We also asked if they would review existing strategies from around the country. Through this approach we coproduced a structure and composition for the document. Through this approach, we knew exactly what we wanted to focus on.

A small task and finish group, incorporating a wide range of colleagues from across the partnership were brought together to develop the content. We would like to express our sincere thanks and appreciation for their time, commitment, and insights in the development of Rotherham's Neglect Strategy for working so committedly to bringing all these aspects together into one coherent strategy. Finally, we asked the young people what a positive, healthy caring relationship would look and feel like from their individual perspectives.

The comments below are the young people's own words.

*Someone is there for you : I would have enough to eat : I would feel safe and secure
I would feel cared for and loved : I would be listened to : I would feel happy : I would feel valued
I would live in a nice environment : I would not have to worry about being hurt by anyone in the house
I would feel relaxed and warm : I would be treated equally : I would be part of family discussions
I would be cared for even when I mess up : My parents would know that going to school is important
They would be encouraging : They would be patient with me when I am doing homework
They would help me when I have problems : They would make me happy and smile
They would ask me 'how was college?' and 'what have you had for lunch?' : We would build trust together
They would take notice of what I was doing : They would ask about little things and 'how was your day?'
They would be supportive of the choices we make, and guide us if we make the wrong choices.*

This is what the partnership wants for every child and young person in Rotherham. We hope that this strategy will go some way to addressing the issues and impact of neglect.

Contents

What is neglect and what does research tell us?	4	Learning from serious case reviews and cumulative harm/neglect	12
Why do we need a Neglect Strategy?	6	Enhancing our response to cumulative harm and neglect	10
What do we know about neglect nationally?	7	Adverse Childhood Experiences (ACEs)	11
About Rotherham	8	Children and young people with disabilities	12
What does the data tell us about neglect in Rotherham?	9	What is adolescent neglect?	13
What will we do to prevent neglect and to protect children?	10	Governance and accountability	14
How will we know that we have made a difference to children's lives?	12	Key indicators for measurement of the effectiveness of this strategy	15
Neglect and cumulative harm	12	Acronyms and Abbreviations	16

“The key question to ask yourself when working with neglect is, would this be good enough for my child?”

What is neglect and what does research tell us?

There are many forms of neglect. Neglect can happen in any family situation, at any time during a child or adolescent's development and is not exclusive to any class, race, or strata of society. It is a myth that neglect only occurs in low income or deprived families, therefore, children and young people in Rotherham may experience neglect in every community across our borough.

There are many definitions of neglect. The Rotherham Safeguarding Children Partnership (RSCP) adopts the Working Together To Safeguard Children (2018) definition.

Neglect is the persistent failure to meet a child's basic physical and/or psychological needs likely to result in the serious impairment of the child's health or development.

Neglect is characterised by the absence of a relationship of care between the parent/carer and the child and the failure of the parent/carer to prioritise the needs of their child. It can occur at any stage of childhood, including the teenage years. (Working Together 2018).

Horwath (2007) identifies the following types of neglect which are now widely accepted and used in policy and practice related to neglect: (See Appendix A).

Medical neglect: Carers minimise or deny a child's illness or health needs, or neglect to administer medication or treatments. It includes neglect of all aspects of health care including dental, optical, speech and language therapy, mental health, and physiotherapy. Consistently not taking children to medical appointments is a clear indicator of medical neglect.

Nutritional neglect: Usually associated with inadequate food for normal growth leading to "failure to thrive" or "flourishing growth". Increasingly another form of nutritional neglect arises from an unhealthy diet and lack of exercise which can lead to obesity, increasing the risks to health in adolescence and adulthood.

Emotional neglect: Defined as the "hostile or indifferent parental behaviour which damages a child's self-esteem, degrades a sense of achievement, diminishes a sense of belonging and stands in the way of healthy, vigorous and happy development". It is the non-deliberate consequence of a carer's neglectful behaviour (Iwaniec 1995). Serious Case Reviews tell us that in these cases of long-term, chronic neglect or extreme isolation suicide by the young person was contemplated or carried out. (Brandon et al, 2013).

Educational neglect: Includes parents failing to comply with state requirements, but also include the broader aspects of education such as supporting their learning including that any special educational needs are met

Physical neglect: Refers to the dirty state of the home, lack of hygiene, lack of heating, inadequate and/or broken furniture and bedding. It may include poor or inadequate clothing, which mark a child as different from their peers resulting in isolation or bullying. It also refers to a lack of safety in the home, and exposure to substances.

Adolescent Neglect: Is different to neglect of younger children and is often overlooked as young people grow older. For teenagers, the boundaries between neglect and maltreatment are often more

problematic: e.g. when a young person is forced to leave home through abuse and finds themselves 'neglected', hungry and homeless. Unrecognised neglect from childhood can manifest itself in adolescence. Research tells us there are links between neglect and harmful sexual behaviour and child sexual exploitation. (Howarth and Platt 2019.) Young people impacted by neglect can display poor behaviour in the classroom or anti-social behaviour in the community and this can become the prominent emphasis of work, rather than connecting the behaviours to neglect. We should also be mindful about specific groups of neglected teenagers – disabled young people; young carers; young people from ethnic minorities and others who may feel marginalised in their communities.

Child Neglect: Presents itself in many ways and is usually related to parental behaviour. Crittenden (1996) and Howe (2005) have studied this and linked to attachment styles and categorised the ways in which neglect may manifest. These include:

Disorganised Neglect: Parents may be driven by their own feelings and unable to put their children's needs first. They often experienced unstable childhoods themselves and focus on meeting their own needs and when these are not met, they perceive this as rejection.

Emotional Neglect: Whilst these parents appear to offer a good standard of physical care and meeting their child's cognitive needs, they are unable to offer warmth and a loving, caring environment – they may be withdrawn, unavailable, unresponsive and may have experienced a high criticism, low warmth childhood themselves. Therefore, they will struggle to relate at an emotional level with their child.

Depressed, Passive and Physical Neglect: Parents who exhibit this form of neglect are unavailable to their child to provide both emotional warmth and meeting their developmental needs. The authors argue this is considered the most negative environment for children to grow up in.

“I love my mum and she will always be my mum, but I just want to live somewhere that is clean and tidy, and I don't ever want to see any drugs about anymore because it's not nice, it's horrible because sometimes people who I think are my friends don't want to come to my house because of the drugs, I don't blame them for that, but it's not nice for me really”

Quote from Rotherham Young Person, 13 years (February 2021)

Why do we need a Neglect Strategy?

The impact of neglect on children and young people is well documented. Neglect causes great distress to children. It can lead to poor health and poor educational and social outcomes. In some cases, it can lead to a child's death. Even where this is not the case the effects can be serious and long lasting. Children's abilities to make relationships may be affected and their ability to attend and do well at school. These things will influence their success in adulthood and their ability to parent in the future. The cumulative impact on children of both persistent and intermittent neglect is a central concern when considering the most effective ways of protecting them.

We know that we need work together effectively in Rotherham to protect children from neglect.

The purpose of this strategy is to set out the ways in which we will enhance practice and continuously improve the outcomes for children, young people and families.



What do we know about neglect nationally?

There is a growing body of evidence which demonstrates the damage done to children and young people living in situations of neglect. All aspects of their development can be adversely affected including their physical and cognitive development, emotional and social well-being and their mental health and behaviour. For some the consequences can be fatal. The need to take decisive and timely action is supported by a wide range of research. In addition, the cost of neglect in financial terms is high. When neglect is identified a range of services are likely to be involved to reduce risk and need and to address the issues that arise from it.

Much of the available information is focussed on the prevalence and impact of neglect in Serious Case Reviews (SCR) or children who are the subject of a child protection plan. There is less evidence available from research and practice about its effects in the wider population of children and young people. However, it is becoming clear that a greater focus is needed on the early identification of and intervention in neglect and there is a greater awareness of the critical impact of neglect, particularly on early development in children less than three years.

Ofsted undertook a thematic review into neglect in 2014. They found that most safeguarding partnerships did not receive or collect specific data about neglect except at the highest level, i.e. those subject to a child protection plan. Although information was provided on the quality of early help, this was generally not broken down by category of concern. The prevalence of neglect is therefore thought to be under-represented in any statistical analysis. It may not be picked up where there are numerous concerns (perhaps including other forms of abuse), and it is unlikely to be quantified in early help work. Additionally, Ofsted found that local authorities who had a neglect strategy and/or a systematic improvement programme addressing policy, thresholds for action and professional practice, were more likely to make a positive difference to children living in situations of neglect.

Research (including NSPCC Thriving Communities) also shows that little evidence is produced about the effectiveness of interventions to deal with neglect and that there is a tendency to allow cases to drift instead of taking decisive action. It shows that where tools exist to evaluate the effectiveness of interventions there is more timely and improved decision-making.

About Rotherham

- Rotherham was ranked 53rd most deprived district in England in the 2010 index. The key drivers of deprivation in Rotherham remain Education and Skills, Health and Disability and Employment.
- Rotherham has 57,196 children aged under 18 representing 21.6 % of the local population (ONS, 2018).
- 21.8 % of children live in low-income families (HMRC, 2016) (England 17 %).
- Free School Meal (FSM entitlement) rate above English national average: 16.9 % compared to 15.8 % at Primary, 16 % compared to 14.1 % at Secondary (DfE).
- 17.8 % of Rotherham's school age population is from a minority ethnic background, England 32.2 %. (DfE 2018).
- 8.1 % of Rotherham's population belong to ethnic groups other than White British (6.4 % are from non-white groups) well below the English average of 20.2 %. It follows that 91.9 % of Rotherham residents are White British.
- Over the last ten years we have seen a significant increase in the Eastern European Roma population from Slovakia and Czech Republic since 2004 and Romania, since 2014, with concentrated communities settling in neighbourhoods in the Central area of the town.
- The health of people in Rotherham is generally poorer than the English average which is influenced by people's lifestyle and a number of other wider factors such as deprivation and industrial legacy.





What does the data tell us about neglect in Rotherham?

Although not always the presenting issue, neglect is either the main reason or a factor in the majority of cases that are referred for some form of support or protection in England.

- During 2019-20 there were 135 new Referrals to Social Care with a reason of Neglect, which is 3.58 % of all Referrals (3766).
- In 2019/20, there were 718 new Assessments with a Factor of Neglect identified at Assessment End, which is 15.82 % of all Assessments (4539).
- Of the 718 new Assessments with a Factor of Neglect identified at Assessment End, 190 of these Children were LAC.
- Nationally, there were 91,170 new Assessments with a Factor of Neglect identified at Assessment End, which is 17.43 % of all Assessments (522,990).
- Within Rotherham as at 31/03/2020, 148 Open CP Plans had a Category of Neglect, which is 33.04 % of all Plans (448).
- Nationally, 25,700 Open CP Plans had a Category of Neglect, which is 49.89 % of all Plans (51,510).

More information is available:

www.rotherham.gov.uk/data

What will we do to prevent neglect and to protect children?

The child's experiences, from the first intervention by professionals, must be clearly assessed, recorded, and understood, with a clear plan in place to address issues. Authoritative decisions made in good time will only be possible if there is effective oversight from managers through regular high-quality supervision. Assessments need to become an integral part of engaging directly with families to understand what life is like for the child or children living there. We need to recognise the reduced likelihood of reaching their potential for children who suffer neglect. This includes recognising that we may be "de-sensitised" to the living conditions of children which are "not good enough", and fail to identify "disguised compliance" in families we have worked with over a long period of time.

To effectively prevent and tackle neglect, we therefore need to draw on evidence-based approaches, tools and services that we know work.

1. Gain a better understanding of neglect in Rotherham.

Although we have an understanding of the prevalence of neglect in Rotherham and of the way that agencies identify and work with families where there is neglect, we are keen to gain a more detailed and sophisticated understanding of the issue and communicate this to the workforce. We need to understand the importance of looking beyond single incidents of crisis when making threshold decisions and place weighted emphasis on understanding cumulative harm and how this is impacting on children. We will gain this by using the methodology of the inspectorates' Joint Targeted Area Inspection as applied to the neglect theme.

2. Raise awareness and understanding of neglect and its impact on children.

We will, through agency workforce development, provide multi-agency training, audit and supervision to ensure that staff are knowledgeable about neglect and its impact. We will increase the community's knowledge and awareness of healthy child development, neglect and help-seeking through media campaigns.

We will increase parents' knowledge and awareness of healthy child development by ensuring there is universal provision of high-quality, evidence-based perinatal parent education classes that foster an understanding of child development, attachment and the care children need. This includes an understanding by parents of the impact neglect can have on the outcomes and life chances of their children.

We will increase children and young people's knowledge and awareness of healthy child development and neglect and enable the development of positive and trusting relationships between children and the practitioners who work with them.

We will ensure that the wider workforce is equipped at articulating cumulative harm and neglect and understands application of the right escalation process should this be required.

3. Ensure that staff from all agencies can spot the signs of neglect and assess the level of risk for the child. We will do this by endorsing "The Rotherham Family Approach" which promotes the multi-agency use of the Graded Care Profile in the context of the Signs of Safety model and Restorative Approach now

embedded in Rotherham. The Graded Care Profile is a validated evidenced based tool and has been designed to help child care professionals to understand the lived experience of the child and convey this to parents when working with neglect. We believe that if professionals consistently incorporate the use of this tool into everyday practice with families to identify areas of strength and areas that need support and improvement, it will enable us to recognise early signs of neglect, be specific and clear about what needs to change, consistently measure the quality of the care given to the child over time and whether change is taking place.

4. Promote early identification and response to neglect.

We will ensure that there is clear understanding within staff in universal services about the actions they can take to provide early help when they identify the early warning signs of neglect. Education and health services will recognise and draw on the role that family support workers and other pastoral workers can play in preventing neglect. All agencies working with children and families will hold regular Team Around the Family (TAF) meetings to discuss early concerns about children and their parents in the local area.



How will we know that we have made a difference to children's lives?

We will consider meaningful outcome-based measures to understand the impact our strategy is having on the lives of children. We will use both quantitative and qualitative information to provide evidence.

We would expect to see:

- An increase in Early Help Assessments that identify when neglect is the key concern and that these assessments are supported by Graded Care Profile assessments.
- An initial increase and longer-term decrease in referrals about neglect and related indicators such as parenting capacity and stress in the home and relationships within the family
- A decrease in the number of children subject to child protection plans for neglect
- A decrease in the number of children who become looked after because of neglect
- Increase in the number of cases where cumulative harm is discussed in supervision
- Evidence of improving practice from multi-agency audits
- Enhanced self-esteem and confidence in the parents of children where neglect has been an issue

Neglect and cumulative harm

Child neglect usually occurs because of parent/carer behaviour and can be accompanied by either an inability or alternatively, a lack of capacity to change circumstances and behaviours that are impacting negatively on the child.

Cumulative harm is used to describe the of ongoing incidence and impact of neglect over time and the harm that is caused to children as a result.

Decision making and cumulative harm

It is vital that threshold decision making takes account of the length of time and impact that ongoing neglect has had on children. When making decisions on whether the harm being described meets a statutory threshold it is important to look at the cumulative, historical landscape and use this to influence decisions. Evidence from case reviews (DFE 2020) suggests that there can be a propensity when making threshold decisions to look for 'an incident' or 'new occurrence' that 'tips the balance'; however, what we know is that when neglect is entrenched it is important to see past the need for a one-off incident and look beyond, to the impact of cumulative harm caused by prolonged periods of neglect and understand how this directly impacts on daily life for the child.

Poverty, neglect and cumulative harm

Whilst neglect and cumulative harm can be apparent in any family; evidence suggests that there is a strong correlation between a family's socio-economic situation and neglect. Material hardship and lack of money is a direct contributory factor to neglect and the added stress and pressure that this brings to parents/ carers is an indirect, but important factor.

The way that poverty interacts with other factors that affect parenting is also important to consider, as poverty can interact with and influence:

- Parenting capacity: e.g., parents affected by mental ill health; physical illness; learning disabilities; lack of prior education; shame and stigma.
- Capacity for investment to secure improved home conditions, respite etc.
- Negative adult behaviours, substance misuse and/or domestic abuse.

An example of this is highlighted in evidence suggesting when parental substance misuse is accompanied by poverty, it is more likely to lead to an escalation to statutory services than substance misuse in a position of affluence. (Joseph Rowntree Foundation, 2018)

Frontline practice, poverty and cumulative harm

Practitioners that are attuned to the complex factors that lead to neglectful parenting is essential in offering purposeful assessment, planning, direct work, and wider intervention. We know that the effects of poverty are cumulative. People living in poverty, over time and across generations, may experience multiple disadvantages, fractured social networks, untreated physical and mental health concerns and substance misuse issues. A build-up of cumulative vulnerabilities and disadvantages increases the risk of maltreatment of children by their parents or carers, experiences which have lasting adverse effects.

In forming professional working relationships with adults, young people and children, practitioners need to be alert to associations between present behaviours and past experiences.

Family history and past periods of poverty can provide crucial insights into family functioning and the home environment. Identifying periods of financial hardship within chronologies can be helpful in providing context for understanding the cumulative impact of poverty.

Learning from local child safeguarding practice and other case reviews on cumulative harm/neglect

It is important that Rotherham's approach to neglect applies learning from practice that has gone wrong and led to serious incidents and subsequent Practice Reviews across the UK. Below highlight key learning points from a recent study into three years of practice reviews:

- Poverty was an issue within neglectful circumstances, but it was often overlooked by practitioners or addressed on an ad hoc basis.
- There was an extremely high prevalence of adverse parental and family circumstances. Often there was not one single issue, but a combination of different parental and environmental risk factors which accumulated over time.
- Adolescents living with neglect were particularly vulnerable to having their needs and the risks that they faced overlooked.
- Parents often had previous negative experiences of statutory agencies, which could make them defensive when asked questions about their children.
- Fathers and partners sometimes felt alienated and forgotten. Services need to find ways to become more male friendly to encourage involvement of men in their children's lives.
- Opportunities for working with the family and wider community in preventative or protective interventions were often missed.
- The wider community often have resources which can be used to help combat the impact of adverse circumstances.
- Professionals were sometimes reluctant to name or discuss neglect and poverty. Clear use of language is needed to encourage multiagency working and learning from case reviews.
- Services are increasingly fragmented, outsourced or cut and there are high caseloads and staff turnover. Managers and commissioners need to put in place structures to provide support, time and guidance for frontline practitioners.
- The complexity of families' situations and the high volume of information held by different agencies made it harder to identify and respond to the risks faced by children. A multi-agency approach to identification, assessment and support is needed.

(NSPCC March 2020; A triennial analysis of SCRs 2014-2017 [nspcc.org.uk/learning](https://www.nspcc.org.uk/learning) learning@nspcc.org.uk)

Enhancing our response to cumulative harm and neglect

We need to be reassured that the partnership approach to neglect and cumulative harm embeds the following in practice:

- Quality assessments are completed, early in the development of a problem, to address neglect and prevent cumulative harm. This includes enhanced uptake of the Early Help Assessment by partners from a range of agencies, below statutory thresholds.
- Graded Care Profile becomes embedded in both the Early Help or statutory assessment of a child and family.
- Practitioners are able to articulate neglect and cumulative harm with evidence related to the lived experience of daily life for the child.
- Practitioners understand how to assess the impact of poverty on neglect and cumulative harm.
- Practitioners capture the child's voice and meaningfully apply this to the planning process, using a range of evidence-based tools.
- Practitioners feel equipped and confident to name neglect when they see it and have restorative conversations with parents and carers to find solutions and ways to improve circumstances for the child and family.
- Practitioners receive restorative and reflective supervision that offers high challenge, support, and guidance.

Frontline practice, poverty and cumulative harm

ACEs are highly stressful events or situations that happen during childhood and/or adolescence. It can be a single event, or prolonged threats to, and/or breaches of a young person's safety, security, trust or bodily integrity. Evidence consistently demonstrates a strong association between ACEs and a wide range of health and social problems across the lifespan – impacting the children and young people who experience them in lifelong ways.

There are 10 recognised ACEs:

- Living in a home with domestic abuse
- Living with someone who abused drugs or alcohol
- Parent in prison
- Losing a parent through divorce or bereavement
- Living with someone who has a serious mental health condition
- Physical abuse
- Sexual abuse
- Emotional neglect
- Physical neglect
- Verbal abuse

Brain development

In the first years of a child's life brain development is rapid. Neural pathways are formed which provide the foundations to support future development. The development of neural pathways allows the child to manage stress in their lives.

Learning how to cope with adversity is an important part of healthy child development. A response to stress is normal and essential in everyday life.


Experiencing ACEs can cause what is known as toxic stress. This excessive activation of the stress response system can lead to long-lasting wear-and-tear on the body and brain.

When we are threatened, our bodies prepare us to respond by increasing our heart rate, blood pressure, and stress hormones, such as cortisol. When a young child's stress response systems are activated within an environment of supportive relationships with adults, these physiological effects are buffered and brought back down to baseline. The result is the development of healthy stress response systems. However, if the stress response is extreme and long-lasting, and buffering relationships are unavailable to the child, the result can be damaged, weakened systems and brain development, with lifelong repercussions.

- **Positive stress** response is a normal and essential part of healthy development. Some situations that might trigger a positive stress response are the first day with a new caregiver or receiving an injected immunisation.
- **Tolerable stress** response activates the body's alert systems to a greater degree as a result of more severe, longer-lasting difficulties, such as the loss of a loved one, a natural disaster, or a frightening

injury. If the activation is time-limited and buffered by relationships with adults who help the child adapt, the brain and other organs recover from what might otherwise be damaging effects.

- **Toxic stress** response can occur when a child experiences strong, frequent, and/or prolonged adversity – such as physical or emotional abuse, chronic neglect, caregiver substance abuse or mental illness, exposure to violence, and/or the accumulated burdens of family economic hardship – without adequate adult support. This kind of prolonged activation of the stress response systems can disrupt the development of the brain and other organ systems and increase the risk for stress-related disease and cognitive impairment, well into the adult years.



Impact of ACES

When toxic stress response occurs continually, or is triggered by multiple sources, it can have a cumulative toll on an individual's physical and mental health which may last for a lifetime. The more adverse experiences in childhood, the greater the likelihood of developmental delays and later health problems, including heart disease, diabetes, substance abuse, and depression.

Experience of adversity or trauma in childhood can significantly increase the risk of mental and physical ill health in adolescence and adulthood which results in these young people potentially dying sooner than their peers in later life. Evidence suggests 4 or more ACEs during a childhood leads to an increase risk of the person participating in risk taking behaviours and of experiencing difficulty to make changes which can result in poor health outcomes.

- Alcohol abuse
- Chronic Obstructive Pulmonary Disease
- Depression
- Foetal death
- Illicit drug use
- Heart Disease

- Liver disease
- Risk of partner violence
- Multiple sexual partners
- Sexually Transmitted Disease
- Unintended pregnancies
- Poor academic achievement
- Type 2 diabetes
- Perpetrator of violence

Research suggests that people who have had 4 ACEs are twice as likely to have accessed medical services such as GP, A&E or sexual health services and have spent a night in hospital. 64 % of service users working with substance misuse services have 4+ACEs as well as 50 % of homeless people.

Compared with people with no ACEs, those with 4+ ACEs are more likely to currently binge drink or have a poor diet, to be a current smoker, to have had sex while under 16 years old, to have smoked cannabis, to have had or caused, unintended teenage pregnancy, to have been a victim and/or perpetrator of violence.

Prevention

Prevention in this area is key. There are significant long-term costs of ACEs. However, there is growing evidence that if work to prevent ACEs intervenes early enough, some of the lifelong health and social negative impacts can be ameliorated. There are three broad approaches to reducing the impact of ACEs.

Primary Preventative Approach – this aims to support children to grow up in nurturing homes with stable and supportive family relationships in order to achieve the best start in life. This involves supporting parents, building resilience in children and universal health services.

Secondary Preventative Approach – this works on identifying adverse events when they occur, at the earliest opportunity, in order to reduce the impact these experiences have on children and young people. This could also reduce the likelihood of multiple experiences occurring. This can involve services such as Perinatal mental health services, early years services, early help services and early intervention for mental health issues.

Tertiary Preventative Approach this approach works to identify ACEs in those with established physical and emotional disease/ problems and ensuring their needs are met, including opportunity for therapeutic and practical support. This may involve CAMHS, Trauma informed services and early intervention.

Developing resilience

Research shows that having access to a trusted adult in childhood, supportive friends and being engaged in community activities, such as sports, can reduce the risks of developing mental illness; even in those who have experienced high levels of ACEs. Overall having supportive friends, opportunities for community participation, people to look up to and other sources of resilience in childhood can more than half current mental illness in adults with four or more ACEs from 29 per cent to 14 per cent, and ever having felt suicidal or self-harmed from 39 per cent to 17 per cent. Participation in sports both as a child and adult was a further source of resilience to mental illness, with being in current treatment for mental illness reducing from 23 per cent in adults that did not regularly participate in sports to 12 per cent in those that did.

Reducing the impact of Adverse Childhood Experiences (ACEs)

Reducing the impact of Adverse Childhood Experiences (ACEs) is a pressing issue currently facing our society. RMBC is committed to driving forward improvement in service provision, ensuring that children and young people's health and well-being remains a priority.

The experiences children go through in early life have a huge impact on how they grow and develop both physical and mental health, and these experiences can have a long-lasting impact on adult life.

Children and young people with disabilities

Children and young people who have disabilities are at an increased risk of being abused compared with their non-disabled peers (Jones et al, 2012) and are also less likely to receive the protection and support they need when they have been abused (Taylor et al, 2014).

For the purposes of this strategy we are using the term disability to encompass the following conditions and identities. This includes children and young people who:

- are deaf
- are on the autistic spectrum
- have a condition such as attention deficit hyperactivity disorder (ADHD)
- have a learning disability
- have a physical disability such as cerebral palsy
- have visual impairment
- have a long-term illness.

According to (Miller and Brown, 2014), disabled children and young people who are at greatest risk of abuse are those with behaviour or conduct disorders.

One large scale (Sullivan P.M. and Knutson J.F. 2000, Maltreatment and Disabilities: A Population based Epidemiological Study, Child Abuse and Neglect 24), found that disabled children and young people were 3.4 times more likely to be abused or neglected than non-disabled children. Disabled children were 3.8 times more likely to be neglected, 3.8 times more likely to be physically abused,

3.1 times more likely to be sexually abused and 3.9 times more likely to be emotionally abused. The study concluded that 31 % of disabled children and young people had been abused, compared to a prevalence rate of 9 % among the non-disabled child and young person population.

Disabled children and young people may be especially vulnerable due to a number of reasons. For example, they may:

- have fewer outside contacts than other children and young people
- receive intimate care, possibly from a number of carers, which may both increase the risk of abusive
- behaviour and make it more difficult to set and maintain physical boundaries
- have an impaired capacity to resist or avoid abuse
- have communication difficulties which may make it difficult to tell others what is happening
- be inhibited about complaining through fear of losing services
- be especially vulnerable to bullying and intimidation
- be more vulnerable to abuse by peers

Neglect of disabled children and young people is not always easy to identify. They may experience the same types of neglect as non-disabled children (physical, emotional and sexual abuse) but there are also certain types of harm that may be experienced solely by disabled children.

These include:

- failure to meet the communication needs of the child
- equipment is issued to a child but seems to be unavailable for the child or young person's use, or alternative
- equipment that is ill-fitting or inappropriate for the child or young person's use causing pain or injury
- a parent or carer refuses to follow professional advice which is considered to be in the child or young person's best interests, for example refusing to take up services or treatment, pursuing invasive procedures which are unnecessary or carried out against the child or young person's will or carried out by people without the right skills, or refusing to support school attendance
- physical interventions are not carried out in accordance with good practice guidelines and protocols
- inappropriate behaviour modification
- misuse of medication
- being denied access to education, play and leisure opportunities





What is adolescent neglect?

Adolescents are more likely to experience neglect at home than any form of other child abuse. Neglect is not something which only happens to young children, adolescents can also be subject to neglect. There is evidence that professionals struggle to identify adolescent neglect and are unsure what to do when they come across it. Therefore, work with parents to address the neglect of older children is critical.

“Where I live some people already know my mum is on drugs and I have to listen to the awful comments people make, and at the end of the day that’s my mum and it gets me right mad. I will always want to see my mum and I don’t want to be far away, and I don’t want anybody telling me that I can’t see her, but for me I always think about being able to get something to eat when I want to, and not to have to worry if I can have something to eat, and a nice clean house. I dream about that sometimes, but when I am older, I will have the cleanest house ever, and nobody will be doing drugs anywhere near me”

Quote from Rotherham Young Person, 13 years (February 2021)

Adolescent neglect refers to young people aged 11-17 years

There are misconceptions that adolescents become resilient to neglect, however like all forms of abuse, young people regardless of their age remain vulnerable to the impacts of neglect through the standard of parenting that they receive.

Their lived experiences may include a lack of emotional care, warmth and encourage, young people not being adequately supervised or not being given sufficient physical care to preserve their health and having little or no interest shown in their education.

There are several parental risk factors that can lead to or cause adolescent neglect. These include:

- Poor mental health
- Problematic drug and/or alcohol misuse
- Deep seated attitude/behavioural/psychological problems
- Domestic abuse
- Parents own exposure to abuse and lack of positive parenting during childhood
- Illness of parent/carer
- Young parents
- Lack of support/socially isolated
- Wider determinants include:
 - Poverty
 - Unemployment or family pressures and difficult working hours
 - Poor social support

The above underline the importance of a preventative, contextual approach that focuses on the risk factors that may cause child and adolescent neglect.



The impact of Adolescent neglect

“I love my mum, but I have not stopped with her for about 4 weeks now, and I feel so much better, I just feel more like me, not on edge all the time, no arguments, and I look nice. I am not worried about my things anymore, I do go to see her on a Sunday, but I don’t always stay that long, we do get on, but I understand now that drugs come before me and I feel sorry for her because drugs can make her poorly.”

Quote from Rotherham Young Person, 13 years – February 2021

The impact of neglect during childhood can have significant and long-lasting consequences, affecting all aspect of children and young people’s development. The behaviour of young people much be understood in the context of trauma.

- For adolescents this includes:
- Poor Physical health
- Poor educational engagement, achievements and prospects
- Running away/missing from home/risk of vulnerability to CSE and CCE
- Increase risk taking, offending or anti-social behaviour and violence
- Substance misuse
- Social isolation, difficulty in making and sustaining relationships with peers and adults
- Dissociation/insecure attachments
- Poor emotional regulation and impulsivity
- Conflict and hostility in relationships
- Depression, anxiety and long-term mental health problems

In the future, their lived experiences as a young person can affect how they parent their own children and can perpetuate intergenerational cycles of neglect.

Primary prevention of adolescent neglect

Primary prevention is about preventing neglect before it occurs. This includes provision of a range of universal services such as education, health care, youth and recreation facilities who can all have an important role to play in engaging and promoting the health and well-being of adolescents.

It is vital that all professional who work with adolescents, or the parents of adolescents, are alert to the possibility that neglect at home may be happening and should exercise 'professional curiosity' by asking questions which could reveal signs of neglect and involve others, including colleagues from other agencies to assess the gravity of the situation.



Secondary prevention of adolescent neglect

There is insufficient understanding of adolescent neglect across the multi-agency network and its link with complex adolescent behaviour. This can result in a fragmented and reactive response to different aspects of behaviour and leave young people at risk of harm. Tackling identified neglect of young people requires a coordinated strategic approach across all agencies.

In any intervention, professionals need to view the family situation and parenting received through the eyes of the young person and ask, 'what is life like for this young person?'

Persistent engagement is needed to support adolescents. This will involve a balance of preventative work and crisis management and needs to be trauma-informed and built on an understanding of relationship-based practice.

Governance and Accountability

This strategy is owned and overseen by the Rotherham Safeguarding Children Partnership (RSCP) and the impact of it will be scrutinised by the executive and the independent chair.

The RSCP will monitor progress against the strategic objectives on a quarterly basis. The effective delivery of the strategy will be reported to the partnership through highlight reports.

Key indicators for measurement of the effectiveness of the strategy

It is important that measures of success are established and agreed. The following outcome indicators will demonstrate the effectiveness of our strategy and its implementation:

- Safely and appropriately reduce the number of children needing to become looked after as a result of neglect
- Improve secondary attendance for children with an open social care case for neglect
- Increase the % of 5-year olds experiencing neglect, who achieve a good level of development in the Early Years Foundation Stage
- Increase the number of children, young people and families supported with neglect through Early Help Assessments and plans
- Reduction in the number of repeat referrals due to neglect
- Reduction in the number of children subject to a Child Protection Plan under the category of neglect for a second time or more
- Children, young people, and families supported with neglect make good progress against their support plans

The partnership recognises that with an improved recognition and understanding of neglect, there may be an increase in some of the above indicators where a reduction would demonstrate effectiveness.

Action Plan

A detailed plan sits alongside this strategy to support and monitor the aims and objectives of this strategy.



Acronyms and Abbreviations

RSCP	Rotherham Safeguarding Children's Partnership
SCR	Serious Case Reviews
NSPCC	National Society for the Prevention of Cruelty to Children
JSNA	Joint Strategic Needs Assessment
TAF	Team Around the Family
DfE	Department for Education
ACES	Adverse Childhood Experiences
CAMHS	Child and Adolescent Mental Health Services
RMBC	Rotherham Metropolitan Borough Council
CSE	Child Sexual Exploitation
CCE	Child Criminal Exploitation
LAC	Looked After Child
CP	Child Protection
CiN	Children in Need
SYP	South Yorkshire Police
TRFT	The Rotherham (NHS) Foundation Trust
CCG	Clinical Commissioning Group

Appendix A

Classifications Experiences of neglect by Horwath's classifications						
Age Group	Medical	Nutritional	Emotional	Educational	Physical	Lack of Supervision
Infancy: 0-2 years	Includes failure to notice that a baby is unwell, and failure to seek medical treatment. Not attending routine health screening appointments may be indicative.	Under-nourishment leads to restricted growth and brain development. There can be a link between neglect and obesity, e.g. if parents use sweets as 'pacifiers'.	Lack of stimulation can prevent babies from 'fixing' neural connections. Infant attachments are damaged by neglect, which makes learning skills more difficult	Some parts of the brain, e.g. cortex, are dependent on experience and stimulation to develop. Language relies on reinforcement and feedback from carers.	Dirty home conditions may affect infant immune system; lack of changing and nappy rash; lack of encouragement may delay skill development.	Babies should be supervised at all times, particularly when lying on surfaces they could fall from or in the bath. If babies feel abandoned, this can affect the development of attachments.
Pre-School: 2-4 years	May include missed health and dental appointments, and failure to seek medical treatment following accidents or for routine conditions such as head lice or squints.	Not eating 1200 – 1500 calories per day, and/ or unregulated amounts of fat and sugar in the diet, which can lead to heart problems, obesity and tooth decay.	Neglected children without a secure attachment may experience difficulties playing with their peers, sharing feelings and thoughts, coping with frustration and developing empathy.	Neglect can be a significant factor in delaying a child's language development e.g. through the amount and quality of interactions with carers. This delay affects their education.	Child may present as dirty or malnourished, and living conditions may be poor. Child may not have been toilet trained, sleeping sufficiently or have adequate boundaries.	Home may lack safety devices e.g. stair gates, dangerous items such as drugs or knives may be within reach, child may not have appropriate car seat, child may be left home alone.
Primary: 5-11 years	Children may have more infections and illnesses than their peers due to poor treatment, or lack of prevention e.g. through hand washing, good diet or adequate sleep.	Food isn't provided consistently, leading to unregulated diets of biscuits and sweets. Concerns should not just focus on weight; children of normal weight could still have unhealthy diets.	Insecure attachment styles can lead to children having difficulties forming relationships and may express their frustration at not having friends through disruptive behaviour.	Neglected children can experience a number of disadvantages at school, including low educational aspirations, lack of encouragement for learning and language stimulation.	Ill-fitting, inadequate or dirty clothing, poor personal hygiene, lack of sleep, lack of routines or boundaries which can lead to frustration with school rules and boundaries.	Primary school children may be left home alone after school or expected to supervise younger children. They may be left to play outside alone or to cook meals without supervision.
Adolescent: 12+ years	Poor self-esteem and recklessness can lead to ignoring or enduring health problems rather than accessing services. There may also be risk-taking behaviour e.g. in sexual activity.	Adolescents may be able to find food, but lack of nutritious food and limited cooking experience can lead them to unhealthy snacks, which affects both health and educational outcomes.	Peer groups and independence are important at this age; young people who are isolated by neglect (e.g. through poor hygiene) will struggle. Conflict with carers may also increase.	Likely to experience cognitive impairment e.g. in managing emotion, challenging behaviour in school. Low confidence and academic failure can reinforce negative self-image.	Adolescents' social development is likely to be affected by their living conditions, inadequate clothing, poor hygiene and body odour. This can affect their self-esteem.	Neglected adolescents may stay out all night with carers not aware of their whereabouts, which can lead to opportunities for risk-taking behaviours that can result in serious injury.